



Product catalogue 2022

[www.luxibel.com](http://www.luxibel.com)



25 years Pringles - Mechelen, BE  
B P9Z

© Expovision

*This catalogue replaces all previous catalogues and is subjected to change without further notice.  
No rights can be derived from this catalogue. Luxibel® and B EXPO® are registered trademarks of AED Distribution NV.  
Luxibel® - 2022 - [www.luxibel.com](http://www.luxibel.com)*

# OUR MISSION

Luxibel develops bright luminaires and smart expo tools for clever AV users, designed and manufactured with the knowledge of professionals. A six-step quality program is the core of Luxibel's reliability focus. There are many ways to acquire a Luxibel product by using the AV Business Tools from AED group: sales (new and second hand), rental or leasing.

Each product of the Luxibel Pro AV range offers unique features for a wide scope of applications and is designed to meet the highest productional requirements with the best 'value for money'. Today, Luxibel offers a solid product portfolio that contains strobe bars, blinders, expo lights, wash lights, pars, soft lights and matrix lights.

The Luxibel Expo Light Series distinguish themselves by a very high output, combined with a high colour rendering. Several models have double glass optics and adaptable frequency rates. These features result in a very accurate representation of people and products displayed under the Luxibel Expo Lights.

Use the icons below to help you choose the best product for each application.



Theatre  
House of worship



Archtainment



Film & television



Live entertainment



Exhibition  
Museum  
Shop

## TABLE OF CONTENTS

<b>Our mission</b> .....	1	<b>Blinders</b>	
<b>Table of contents</b> .....	1	B BLINDED .....	22
<b>Strobe bars</b>		B BLINDED1 .....	24
B BLAST <b>soon</b> .....	2	<b>Wash lights</b>	
B BLAST PRO <b>soon</b> .....	3	B P9 XTREME <b>soon</b> .....	25
<b>Pars</b>		B P9 .....	26
B PAR105RGBW V2 <b>new</b> .....	4	B P9Z .....	27
B PAR180RGBW V2 <b>new</b> .....	5	<b>Matrix</b>	
B PAR180RGBW V2 IP66 <b>new</b> .....	6	B 5 .....	28
B PAR360Z <b>new</b> .....	7	B 25 .....	28
<b>Expo tools</b> .....	8	<b>Expo truss</b> .....	30
<b>Expo lights</b>		<b>Track lights</b>	
B EXPOFLOODDL60° .....	9	B RAILNARROWCW .....	32
B EXPO100M .....	10	B RAILNARROWWW .....	33
B EXPO200M .....	11	B RAILFLOODWW .....	34
B EXPO350M .....	12	<b>References</b> .....	36
B EXPO350A .....	13		
B EXPO500TW .....	14		
B EXPO500ATW <b>new</b> .....	15		
<b>Soft lights</b>			
B PANEL180TW .....	18		
B PANEL360TW .....	19		
B PANEL120 .....	20		
B PANEL240 .....	21		



Preliminary

## B BLAST

120x 3W CW & 120x 0,3W RGB LED strobe bar



The B BLAST is an affordable strobe bar effect with pixel mapping function. Use multiple B BLAST in a straight line by linking them to each other on the short side of the product, with the help of the built-in collinear coupler. With its powerful strobe line and eye-catching RGB pixels on either side, the B BLAST can be used to brighten up

clubs, bars, DJ booths and many more. The B BLAST comes with a tiltable bracket and supports Art-Net™, sACN and DMX. In extended modes, the 120x 0.3W RGB pixels can be individually mapped, while the 120x powerful 3W white LED's are addressable by clusters of 4 LED's.




Built-in collinear coupler



RJ45 in/out for Art-Net™ & sACN



Multifunctional LED display



Individually pixel-mapped



Bracket included

- Kling-Net Compatible
- RGB LED's can be individually mapped
- CW LED's addressable per cluster of 4
- Supports Art-Net™, sACN and DMX
- EU (CE), UK (UKCA)

120x 3W LED CW 120x 0,3W LED RGB	90° fixed angle	IP 20	DMX 5p in/link	DMX1/DM 5/10/36/126/390 channels	600W AC 100V-240V	65 x 198 x 1.000 mm 2.56 x 7.8 x 39.37 inch	7,8 kg 17.2 lb



Preliminary

## B BLAST PRO

120x 5W CW & 120x 0,6W RGB LED strobe bar



The B BLAST PRO is a brighter, more rugged and professional version of the B BLAST. This real eye catcher can be used in many ways to create all sorts of shapes by connecting them perfectly onto each other. Make sure you give your audience this piece of eye-candy on festivals, clubs and stages. With the versatile locking system, you can stack this powerful strobe bar easily in a vertical or horizontal shape or in any other angle, next to or on top

of each other. This high-quality strobe bar effect comes with a couple of different brackets, to make sure you can create the shape you want. With the B BRACKET PRO, you can even mount the B BLAST PRO vertically under a truss, or stacked vertically on the floor by using a base plate. This unique feature makes it very easy to mount the strobe bar in a quick and safe way.



Easy horizontal/vertical locking system




RJ45 in/out for Art-Net™ & sACN




Multifunctional LED display



Individually pixel-mapped



2x Tilt- and 1x Shape brackets included



B BRACKET PRO

- Kling-Net Compatible
- IP65 rating for outdoor usage
- RGB LED's can be individually mapped
- CW LED's addressable per cluster of 4
- Optional diffusion filter
- Supports Art-Net™, sACN and DMX
- B BRACKET PRO for easy and unique mounting
- EU (CE), UK (UKCA)

120x 5W LED CW 120x 0,6W LED RGB	90° fixed angle	IP 65	DMX 5p in/link	DMX1/DM 5/10/36/126/390 channels	800W AC 100V-240V	85 x 225 x 1.000 mm 3.35 x 8.86 x 39.37 inch	10 kg 22.05 lb



**NEW**

# B PAR105RGBW V2

7x 15W RGBW LED par



The B PAR105RGBW V2 is a compact yet very powerful par with a 7x 15W LED engine in a 15° angle. It features highly saturated colours, excellent colour mix, beautiful dimming and fits into a NX34/30V truss.

All these unique features makes the B PAR105RGBW V2 a small but powerful RGBW LED par which is essential to have in your rental fleet.



- 16-bit dimming
- Refresh rate: 1.200 Hz
- 4 screws for front protection
- Fits in NX34/30V truss
- Master slave program function
- EU (CE), UK (UKCA), US & Canada

**Optional accessories:** B TOPHAT105 open, B TOPHAT105 half, B FILTER105 25°, B FILTER105 40°, B FILTER105 10-60°

7x 15W LED RGBW	15° fixed angle	IP 65	DMX18DM 4/6/8/9/14 channels	96W AC 100V-240V	219 x 255 x 113 mm 8.6 x 10.0 x 4.4 in	3,3 kg 7.3 lb

**NEW**

# B PAR180RGBW V2

12x 15W RGBW LED par



The B PAR180RGBW V2 is a very powerful par with a 12x 15W LED engine in a 25° angle. It features highly saturated colours and beautiful dimming.

This makes the B PAR180RGBW V2 one of the most powerful RGBW LED pars on the AV market.



- 16-bit dimming
- Refresh rate: 1.200 Hz
- 4 screws for front protection
- Master slave program function
- EU (CE), UK (UKCA), US & Canada

**Optional accessories:** B TOPHAT180 open, B TOPHAT180 half, B FILTER180 40°, B FILTER180 10-60°

12x 15W LED RGBW	25° fixed angle	IP 65	DMX18DM 4/6/8/9/14 channels	165W AC 100V-240V	280 x 288 x 143 mm 11.0 x 11.3 x 5.6 in	4,7 kg 10.4 lb

**NEW**

## B PAR180RGBW V2 IP66

12x 15W RGBW LED par



The B PAR180RGBW V2 IP66 is a powerful par that comes with a 12x 15W LED engine. Because of its beautiful colours, it is the perfect workhorse that you simply must have in your product gamma.

This IP66 rated par has heavy-duty waterproof wired connectors and is therefore suitable for long term outdoor and heavy duty use.



Humidity extractor



Gridded tophat included




Double bracket with omega



Colour display



One hand tilt locking system



Unique power to size ratio

- 16-bit dimming
- Refresh rate: 1.200 Hz
- 4 screws for front protection
- Master slave program function
- IP66 rating (fixed waterproof cables included)
- EU (CE), UK (UKCA), US & Canada

**Optional accessories:** B TOPHAT180 open, B TOPHAT180 half, B FILTER180 40°, B FILTER180 10-60°

**NEW**

## B PAR360Z

7x 60W RGBW LED zoom par




The B PAR360Z is the most powerful IP-rated zoom par in the world. A 7x 60W RGBW LED engine creates beautiful colours in very high-power and it features high-saturated colours, quick zoom and beautiful dimming.

This makes the B PAR360Z a creative unit that can be used for events, exhibition, theatre and much more.



Humidity extractor



Quick zoom 4.3° - 45°




Diffuser lens for colour mix



Molded zoom lens



One hand tilt locking system



Unique power to size ratio

- Strongest output on the market
- Bracket over stretch protection
- 4 screws for front protection
- Optional tophat
- Heavy duty paint
- EU (CE), UK (UKCA), US & Canada



12x 15W LED RGBW



25° fixed angle



IP 66



DMX 5p in/link



4/6/8/9/14 channels



165W AC 100V-240V



280 x 288 x 143 mm 11.0 x 11.3 x 5.6 in



5 kg 11.2 lb



7x 60W LED RGBW



4.3°-45° beam angle



IP 65



DMX 5p in/link



5/8/13/18 channels



370W AC 100V-240V



450 x 297 x 217 mm 17.7 x 11.7 x 8.5 in



9.6 kg 21 lb





# B EXPOFLOODDL60°

High CRI wash light




The B EXPOFLOODDL60° is an IP66 wash light in high CRI. A very slim design for transport and installation with high-quality power supply and LED's. These features make this the ultimate light to use on a daily basis. You can use this wash light on exhibitions, festivals, venues: everywhere a high-quality flood light is needed. It's a brighter, more modern replacement for the

traditional "HQI 400"-type flood lights, and it reaches its full brightness immediately, without the need to wait for the lamp to strike or re-strike.



Special optics



60° angle



One hand tilt locking system

- Silent, no fans
- High CRI 95
- Power cable in & out
- Extremely high and stable output
- EU (CE), UK (UKCA)



320x 1W SMD LED  
4.800K



CRI  
95



60°  
beam angle



IP  
66



200W  
AC 100V-240V



497 x 416 x 63 mm  
19.6 x 16.4 x 2.5 in



6,4 kg  
14.1 lb

# B EXPO100MWW


High CRI fresnel



The B EXPO100M is a small high-power warm white LED fresnel and comes in handy when you need a powerful and high-quality wash light in a compact housing.

That makes it the ideal solution for applications where space is limited but demand of light is high.

Control of the unit is done by a 4 button menu and LCD display, whilst the beam angle can be manually adjusted between 21° and 85°.



- Safety eye
- Silent mode
- 16-bit dimming
- Adaptable frequency rate
- Holds dim value during power cut
- Colour matched with B EXPO200/350
- EU (CE), UK (UKCA), US & Canada

Optional accessories: B BARN100(W), B FILTER100(W), B WIDEXPO100

100W LED 3.000K	CRI 98	21°-85° manual zoom	IP 20	DMX 5p in/link	1/4/5 channels	100W AC 100V-240V	298 x 327 x 271 mm 11.7 x 12.9 x 10.7 in	4,28 kg 9.44 lb

# B EXPO200M


High CRI fresnel



The B EXPO200M is a high-power LED fresnel light, specially designed for demanding customers.

Very powerful and available in a warm and cold white version, this fresnel luminaire is ideal for TV, studio

and film lighting and also for houses of worship where its quiet operation and bright beam of light can be depended upon.



- Safety eye
- Silent mode
- 16-bit dimming
- Adaptable frequency rate
- Holds dim value during power cut
- Colour matched with B EXPO100/350
- EU (CE), UK (UKCA), US & Canada

Optional accessories: B EXPO BARNDOR, B EXPO EASY BARNDOR(W), B EXPO FILTER

200W LED 3.000K or 5.600K	CRI 98	15°-45° manual zoom	IP 20	DMX 5p in/link	1/4/5 channels	200W AC 100V-240V	403 x 467 x 320 mm 15.9 x 18.4 x 12.6 in	10 kg 22.1 lb




## B EXPO350M

High CRI fresnel



The B EXPO350M delivers a very powerful and high-quality wash light. The specific feature set, 16-bit dimming and silent mode makes this high CRI Fresnel perfect to use in places such as exhibitions, museums, shops, etc.

You can use this fresnel in many different applications and in many different places. It will do an outstanding job of bringing high power quality light.



- Silent mode
- OLED display
- 16-bit dimming
- 5 min LED change
- Adaptable frequency rate
- Holds dim value during power cut
- Extremely high and stable output
- Colour matched with B EXPO100/200
- EU (CE), UK (UKCA), US & Canada

**Optional accessories:** B EXPO BARNDOR, B EXPO EASY BARNDOR(W), B EXPO FILTER

350W LED 3.000K or 5.600K	CRI 95	15°-45° manual zoom	IP 20	DMX 5p in/link	1/4/5 channels	320W AC 100V-240V	403 x 467 x 320 mm 15.9 x 18.4 x 12.6 in	10,5 kg 23.2 lb

## B EXPO350A


Fully automated fresnel



The B EXPO350A offers an even higher output than the B EXPO200M. This fully automated fresnel is available in a cold white and a warm white version (incl. 5.600K/3.000K LED-chip). You can control pan, tilt, zoom, dimming via DMX, as well as via a unique remote control. This remote control enables you to control each individual fixture via a combination of light and IR. The pan and tilt are controlled via worm wheels for accurate positioning.

This results in a unique high power and high-quality fresnel light. It has the ability to work over long distances in terms of light output and control capability.

These great features will make sure that it is impossible to imagine the high-end exhibition market without the Luxibel B EXPO range.



- Silent mode
- 16-bit dimming
- 5 min LED change
- Adaptable frequency rate
- Smooth pan, tilt and zoom
- Holds dim value during power cut
- Extremely high and stable output
- Colour matched with B EXPO100/200
- DMX/RDM + remote operated

**Optional accessories:** B EXPO BARNDOR, B EXPO EASY BARNDOR(W), B EXPO FILTER, B EXPO REMOTE

350W LED 3.000K or 5.600K	CRI 95	15°-45° manual zoom	IP 20	DMX 5p in/link	8/9 channels	320W AC 100V-240V	362 x 468 x 320 mm 14.3 x 18.4 x 12.6 in	11 kg 24.3 lb




## B EXPO500TW

High CRI fresnel with automated zoom



The B EXPO500TW is a high power, tuneable white LED fresnel light and is extremely useful for applications where a high power fresnel is required. Think of shops, exhibitions or even churches.

Via its OLED display with 4 buttons and one hand tilt locking, this fresnel is easy to use and essential in your lighting kit.



Optional white cover kit



Double glass optics




Optional 12-leaf barn door



Push to enter turn button



One hand tilt locking system



2.700K - 6.200K

- DMX/RDM
- Silent mode
- OLED display
- 16-bit dimming
- Adaptable frequency rate
- Extremely high and stable output
- EU (CE), UK (UKCA), US & Canada

**Optional accessories:** B EXPO BARNDOR, B EXPO EASY BARNDOR(W), B EXPO FILTER

500W LED 2.700K - 6.200K	CRI 97,4	21°-55° motorized zoom	IP 20	DMX 5p in/link	3/4/7 channels	300W AC 100V-240V	467 x 404 x 320 mm 18.4 x 15.9 x 12.6 in	11 kg 24.3 lb



## B EXPO500ATW

Fully automated high CRI fresnel




The B EXPO500ATW is the automated version of the B EXPO500TW. With this fresnel you can control pan, tilt zoom, dimming and lots more via DMX. All these features can also be controlled with the unique remote system of Luxibel. This gives you the liberty to make last minute changes to the lights without the need to climb.

The spectrum of 2.700K up to 6.200K gives you all the colour temperatures you will need for any show or production. The B EXPO500ATW is a true workhorse and a standard for automated fresnel lights.



Slim base & bracket




Double glass optics



Optional 12-leaf barn door



Optional remote



2.700K - 6.200K

- Silent mode
- 16-bit dimming
- Adaptable frequency rate
- Smooth pan, tilt and zoom
- Holds dim value during power cut
- Extremely high and stable output
- DMX/RDM + remote operated

**Optional accessories:** B EXPO BARNDOR, B EXPO EASY BARNDOR(W), B EXPO FILTER, B EXPO REMOTE

500W LED 2.700K - 6.200K	CRI 97,4	21°-55° auto zoom	IP 20	DMX 5p in/link	8/9/12 channels	320W AC 100V-240V	362 x 468 x 320 mm 14.3 x 18.4 x 12.6 in	16 kg 35.27 lb







# B PANEL180TW

Tuneable white soft light




The B PANEL180TW is one of the smallest and most versatile tuneable white soft lights on the market. With a range from 2.700K up to 6.300K, it has a very big spectrum in white light.

Use it stand-alone very quickly, thanks to the two turn buttons on the back that control dimming and colour

temperature. The extra 12V - 24V DC input allows the B PANEL180TW to be used on mobile shoots with an external battery (battery not included).

It comes standard with barn doors and a removable frost and gel frame.



- 16-bit dimming
- Silent, no fans
- Adjustable refresh rate: +400 Hz
- Additional 12V - 24V DC input (XLR 4 pin)
- EU (CE), UK (UKCA), US & Canada

Optional accessories: B SNAP120, B GRID120

180x white SMD LED	CRI 96	120° fixed angle	IP 20	DMX 5p in/link	2/3/6/8 channels	85W AC 100V-240V	331 x 238 x 150 mm 13.0 x 9.4 x 5.9 in 4,8 kg 10.6 lb


# B PANEL360TW

Tuneable white soft light



The B PANEL360TW has a range from 2.700K up to 6.300K and therefore has a very big spectrum in white light. Use it stand-alone very quickly, thanks to the two turn buttons on the back that feature dimming and CCT.

With very elevated CRI, this soft light is ideal for TV, theatre, photography and many more different applications. The DoPchoice® snapbag and snapgrid is also compatible with the B PANEL240 series.



- 16-bit dimming
- Silent mode
- Adjustable refresh rate: +400 Hz
- EU (CE), UK (UKCA), US & Canada

Optional accessories: B SNAP240, B GRID240

360x white SMD LED	CRI 96	120° fixed angle	IP 20	DMX 5p in/link	2/3/6/8 channels	240W AC 100V-240V	550 x 320 x 150 mm 21.7 x 12.6 x 5.9 in 8,6 kg 18.9 lb

# B PANEL120

WW LED soft light



The B PANEL120 is the smallest and most versatile warm white soft light on the market. It is equipped with barn doors and a removable frost and gel frame. The panel comes with manual dimming and DMX. Furthermore, it has high CRI 96, making this fixture ideal for TV, theatre, photography and much more.



Barn doors



Removable frost, intensifier and gel frame



Manual dimming button



Optional DoPchoice® snapbag + grid (40°)

- 16-bit dimming
- Adjustable refresh rate: +400 Hz
- Silent, no fans
- EU (CE), UK (UKCA)

Optional accessories: B SNAP120, B GRID120

120x white SMD LED 2.700K	CRI 96	160° fixed angle	IP 20	DMX 5p in/link	85W AC 100V-240V	331 x 238 x 114 mm 13.0 x 9.4 x 4.5 in	4,6 kg 10.1 lb

# B PANEL240

CW & WW LED soft lights




Cold white



Warm white



The B PANEL240 has almost the same features as its little brother, the B PANEL120. The big difference is that this soft light comes with 240x white SMD LEDs which makes it very powerful and perfect to use in theatre, studio, photography and so on. It comes in a warm white 2.700K and a cold white 5.000K version. Both versions have a high CRI of 96.



Barn doors



Removable frost, intensifier and gel frame



Manual dimming button



Optional DoPchoice® snapbag + grid (40°)

- 16-bit dimming
- Adjustable refresh rate: +400 Hz
- Silent, no fans
- EU (CE), UK (UKCA)

Optional accessories: B SNAP240, B GRID240

240x white SMD LED 2.700K or 5.000K	CRI 96	160° fixed angle	IP 20	DMX 5p in/link	120W AC 100V-240V	526 x 316 x 125 mm 20.7 x 12.4 x 4.9 in	8 kg 17.6 lb



## B BLINDED

2x 110W LED stage blinder



The B BLINDED is the future of all blinders. A powerful blinder with a 2x 110W warm white LED engine, including tungsten emulation feature. The output can be compared to DWE 2x 650W but with many extra functionalities.

No more dimmers, fewer cables, but more functions with faster installation and more creativity. Furthermore, this versatile fixture is arrayable. Vertical or horizontal, it is up to your design! For more info, see next page.



Arrayable

15° tilt

Glass optics

Quick mounting system

- Extremely bright
- Strobe functions
- Refresh rate: 1.200 Hz
- DWE hot glow dimming below 10%
- Can be used for permanent lighting
- Optional single or/and double bracket
- Arrayable vertical/horizontal up to 6 units
- EU (CE)

**Optional accessories:** B BLINDED BRACKETS (see next page)


2x 110W LED 1.200K - 2.700K	CRI 82	50° fixed angle	IP 4X	DMX 5p in/link	235W AC 100V-240V	400 x 220 x 205 mm 15.7 x 8.7 x 8.1 in	6,2 kg 13.7

## IT IS UP TO YOUR DESIGN!


### B BLINDED brackets

The B BLINDED is a very versatile stage blinder that you can use in multiple applications. With only three different brackets you can make multiple configurations.


#### B BLINDED DOUBLE BRACKET



#### B BLINDED SINGLE BRACKET



#### B BLINDED STANDARD BRACKET (included)





## B BLINDED1

1x 110W LED stage blinder




The B BLINDED1 is the first real LED single point blinder on the AV market. Created as the smaller brother of the B BLINDED, it has the same functionality, feel and tungsten emulation. The B BLINDED1 can be used as a warm wash light or strobe fixture.

Being IP65 rated, compact, low weight and with an extremely high output due to the use of glass optics, the B BLINDED1 is the perfect 'tool' in your rental fleet of mid-class lighting fixtures. The true replacement of the DWE par38.



OLED display




Safety loop



Optional filter frame and barn door



Double bracket + quick lock omega



Glass optics

- Compact
- Extremely bright
- DWE hot glow dimming below 10%
- Can be used for permanent lighting
- EU (CE)

Optional accessories: B FDBLINDED1

1x 110W LED 1.200K - 2.700K	CRI 82	50° fixed angle	IP 65	DMX 5p in/link	1/2/4 channels	125W AC 100V-240V	234 x 348 x 150 mm 9.2 x 13.7 x 5.9 in	3,0 kg 6.6 lb



Preliminary



## B P9 XTREME

72x 15W RGBW quick zoom wash light



The B P9 XTREME is an even larger evolution of the B P9Z. It features two zoomable rectangular wash heads on top of each other and delivers an astonishing amount of 72x 15W RGBW LED's and 144x 0,2W RGB backlight LED's! Your architectural structure, favourite

podium or object during a tradeshow gets the proper attention because it is fully spoiled with light. With the B P9 XTREME being IP66 and three humidity extractors built-in, it can work perfectly both inside and outside.



3x Humidity extractors



Built-in lockable swivel bracket



Fixed waterproof cables



Multifunctional LED display



2x Magnetic and lockable honeycombs included

- IP66 rating (fixed waterproof cables included)
- Extremely versatile high-power RGBW LED
- Full alu and stainless steel unit
- Extremely high and stable output
- Individual zoom channel per head
- RGB backlight effect

72x 15W RGBW 144x 0,2W RGB	7°-58° quick zoom	IP 66	DMX 5p in/link	4/7/12/14/16/22/34/48 channels	1.100W AC 100V-240V	710 x 390 x 645 mm 27.95 x 3.66 x 25.39 inch	32 kg 70.55 lb

## B P9


36x 15W RGBW wash light



The B P9 is a powerful RGBW wash fixture in an angle of 25°. Every line can be controlled individually for effects and equal colouring of buildings and walls. Thanks to its very versatile bracket, you can suspend this fixture in every way possible: you can even make a line array of lights with them. They come with a special half diffuser system and a honeycomb for unique applications.



Colour display




Angle degree indicator



Multi-purpose bracket



Half diffuser



Magnetic honeycomb

- Refresh rate: 3.000 Hz
- High-power RGBW LED
- Full alu and stainless steel unit
- Quick lock omega bracket
- Half frost system for cyclo emulation
- Floor stand, truss mount, arrayable
- EU (CE), UK (UKCA), US & Canada

**Optional accessories:** B P9 FLIGHTCASE, B FILTER P9 40°, B FILTER P9 10-60°



36x 15W  
RGBW



25°  
fixed angle



IP  
65



DMX 5p  
in/link



2/4/16/22  
channels



460W  
AC 100V-240V



512 x 275 x 244 mm  
20.2 x 10.8 x 9.6 in



15,7 kg  
34.6 lb

## B P9Z


36x 15W RGBW quick zoom wash light



The B P9Z is as powerful as the B P9, but has a quick zoom of 7° - 58°. Furthermore, every line can be controlled individually for effects and equal colouring of buildings and walls. Because of its versatile bracket, this product can be used in many ways. The honeycomb makes the B P9Z a unique quick zoom wash light.



Colour display



Angle degree indicator



Multi-purpose bracket



Magnetic honeycomb

- Refresh rate: 3.000 Hz
- High-power RGBW LED
- Full alu and stainless steel unit
- Extremely high and stable output
- Floor stand, truss mount, arrayable
- EU (CE), UK (UKCA), US & Canada



36x 15W  
RGBW



7°-58°  
quick zoom



IP  
65



DMX 5p  
in/link



3/5/17/24  
channels



500W  
AC 100V-240V




512 x 326 x 244 mm  
20.2 x 12.8 x 9.6 in



16,9 kg  
37.3 lb

## B 5

5x 10W LED RGBA matrix



The B 5 is a line matrix with removable frost & black filters. RGBA LED chips give this unit a unique glow effect that cannot be achieved with "RGB only" fixtures. The B 5 can be used flown or stacked, both horizontally or vertically.

- Arrayable
- 4 in 1 Red + Green + Blue + Amber LED chips
- Removable frost & black filter
- EU (CE)



5x 10W LED | RGBA



IP20



Wash fixed angle



DMX 3p & 5p | in/link



1/4/7/25 channels



50W | AC 100V-240V



580 x 114 x 72 mm | 22.8 x 4.9 x 2.8 in



4.8 kg | 10.6 lb

## B 25

25x 10W LED RGBA matrix



The B 25 is a 5x5 matrix and has removable frost & black filters. It can be flown or stacked, both horizontally or vertically. RGBA LED chips give this unit a unique glow effect that cannot be achieved with "RGB only" fixtures.

- Arrayable
- 4 in 1 Red + Green + Blue + Amber LED chips
- Removable frost & black filter
- EU (CE)

**Optional accessories:** B 25 FLIGHTCASE



25x 10W LED | RGBA



IP20



Wash fixed angle



DMX 3p & 5p | in/link



1/4/5/25/75/100/105 channels



300W | AC 100V-240V



580 x 580 x 126 mm | 22.8 x 22.8 x 5.0 in



14.5 kg | 32.0 lb







# EXPO TRUSS

## Make your life easy



With the new Expo Tools series, Luxibel enters into the exhibition market, but the concept is also very interesting for rental and staging companies.




The slick design of the rectangular truss results in a very elegant look, without sacrificing on load capacity. All accessories, including box corners, adaptors, base plates, poles and lighting fixtures, fit in two handy and mobile dollies for compact transportation.

- Elegant look
- Compact in transport
- Long span possible
- Easy connectivity
- Available in black or other RAL colours on order

## 40R - RECTANGULAR TRUSS

Also available in black finish.

### L500



## BOX CORNERS


### B 40RBox

Box corner for B 40R expo truss.



### B 40RBoxHD

Heavy duty box corner for B 40R expo truss.



## ADAPTORS

### B 40R30BoxAdapt

Adaptor B 40RBox to 30V truss.



### B PoleBoxAdapt

Adaptor B Pole to B 40RBox.



## COMPACT TRANSPORT DOLLIES

### B Dolly 1 kit

Dolly for trussing and poles for ultra compact transportation.

- 16x Expo truss
- 4x 3m poles
- 1x dolly

### B Dolly 2 kit

Dolly for light fixtures and truss accessories for ultra compact transportation.

- 16x B RailFloodWW
- 8x B RailNarrow
- Expo track system
- 1x power cable 7 m
- 4x box corner
- 4x base plate
- 4x adaptor
- 1x dolly incl. woodwork





## B RAILNARROWCW

Cold white narrow spotlight




Specially designed for high-profile exhibition space, retail store display, car showrooms, hotel and leisure facilities and indoor architainment applications.

This super sleek high-powered 60W LED fixture offers incredible output in a 4° spot pattern with a colour temperature of 5.600K. Cleverly combined into the fixture is a 'quick fix Mount' to an overhead track but

with the feature of allowing the type of power being used. This is all selected by a roller switch within the track lock mount fixed to the fixture.

The finish of the fixture is a high-impact architectural pale grey complete with diffusers for accurate directivity of the light source.



Trackrail mount



4° optics



One hand tilt locking system



Phase switching

- Made in Europe
- High-quality PSU and LED

60W LED  
5.600K

CRI  
91

4°  
lens

IP  
20

60W  
AC 100V-240V

300 x 140 x 140 mm  
1.81 x 5.51 x 5.51 in

4,5 kg  
9.9 lb



## B RAILNARROWWW

Warm white narrow spotlight




Specially designed for high-profile exhibition space, retail store display, car showrooms, hotel and leisure facilities and indoor architainment applications.


This super sleek high-powered 60W LED fixture offers incredible output in a 4° spot pattern with a colour temperature of 3.000K. Cleverly combined into the fixture is a 'quick fix Mount' to an overhead track but

with the feature of allowing the type of power being used. This is all selected by a roller switch within the track lock mount fixed to the fixture.

The finish of the fixture is a high-impact architectural pale grey complete with diffusers for accurate directivity of the light source.



Trackrail mount



4° optics



One hand tilt locking system



Phase switching

- Made in Europe
- High-quality PSU and LED

60W LED  
3.000K

CRI  
91

4°  
lens

IP  
20

60W  
AC 100V-240V

300 x 140 x 140 mm  
1.81 x 5.51 x 5.51 in

4,5 kg  
9.9 lb

# B RAILFLOODWW

Warm white floodlight




Specially designed for high-profile exhibition space, retail store display, car showrooms, hotel and leisure facilities and indoor archtainment applications.

This compact high-powered 100W LED fixture offers incredible output in a 60° flood pattern with a colour temperature of 3.000K. Cleverly combined into the fixture is a 'quick fix mount' to an overhead track but with the

combined feature of allowing the type of power being used. This is all selected by a roller switch within the track lock mount fixed to the fixture.

The finish of the fixture is a high-impact architectural pale grey complete with barn doors for accurate directivity of the light source.



Trackrail mount



4-leaf barn door



One hand tilt locking system



Phase switching

- Trackrail mount
- Made in Europe
- High-quality PSU and LED
- Colour matched with B EXPO100/200/350
- Same LED as B EXPO100M



100W LED  
3.000K



CRI  
98



60°  
reflector lens



IP  
20



100W  
AC 100V-240V



300 x 140 x 140 mm  
11.81 x 5.51 x 5.51 in



4,5 kg  
9.9 lb









European Commission - Brussels, BE  
B P9Z



Hi5 studio - Palais des Festivals, Cannes, FR  
B PANEL360TW



Amateur Musical Awards, Carre, Amsterdam, NL  
B 25



Natural Highs Festival - Duffel, BE  
B BLINDED, B P9Z



Eurobico fair - Messe Frankfurt, DE  
B EXPO200MCW & B EXPO350M



Arch Stage, Tomorrowland - Boom, BE  
B P9Z

## OTHER REFERENCES

The Minds of 99 (DK)  
25 Years Pringles (BE)  
Oskar Herbig Halle (DE)  
Bregipop Festival (NL)  
Brussels Motorshow (BE)  
Harlem Globetrotters (NL)  
Pukkelpop (BE)  
Rock Werchter (BE)  
Parkcity Live (NL)  
Mysteryland (NL)  
Hors Série Festival (FR)  
EMF Electro Beach Festival (FR)  
Open Air Festival (CH)  
Carré Club (BE)  
Gipsy Club (RU)  
Hi Club Ibiza (ES)  
Pachamama (FR)

Check all Luxibel references on

**[WWW.LUXIBEL.COM](http://WWW.LUXIBEL.COM)**





Paul Elstak 25 Years - Gelredome, Arnhem, NL  
B PAR105RGBW



**AED Distribution NV**

Bedrijvenpark De Veert 13/004, 2830 Willebroek, Belgium  
+32 3 860 76 50 | [info@luxibel.com](mailto:info@luxibel.com)

Find you local distributor on  
[www.luxibel.com](http://www.luxibel.com)

**France**

53, rue de Verdun / Bâtiment D  
93120 La Courneuve  
France  
+33 1 49 340 000  
[info.fr@luxibel.com](mailto:info.fr@luxibel.com)

**Nederland**

Dalkruidbaan 161  
2908 KC Capelle a/d IJssel  
Netherlands  
+31 102 78 25 80  
[info.nl@luxibel.com](mailto:info.nl@luxibel.com)

**Deutschland**

Am Alten Galgen 19a  
Montabaur 56410  
Germany  
+49 2602 999 371 0  
[info.de@luxibel.com](mailto:info.de@luxibel.com)

**United Kingdom**

Knaves Beech Industrial Estate - U. E1  
High Wycombe - Bucks HP10 9QZ  
United Kingdom  
+44 1628 527 239  
[info.uk@luxibel.com](mailto:info.uk@luxibel.com)



[www.AEDgroup.com](http://www.AEDgroup.com)