



SLS

**Sound
Light
Spain**

L

- ILUMINACIÓN LED – ACCESORIOS –
SONIDO – CONTROL - EFECTOS

MAC MAH

Tarifa 2024

www.soundlightspain.com

1. COLUMNA ACTIVA



IAH LS1200	Altavoz active de 12 " para montage en Bass-reflex bobine 2,5" 4 altavoces 3" para medios + tweeter tweeter Bi-amplificación AB de 600W RMS / 1200W ,lector usb con pantalla LCD ID3 Bluetooth 4. receptor ajustable, cable speakon y mando a distancia IR suministrado 2 entradas XLR / Jack combo. Salida paralela XLR de nivel de micrófono o de línea - 1 entrada RCA estéreo	560,00€
MAC MAH SC400	Altavoz active de 8 " para montage en Bass-reflex bobine 2" ,4 altavoces 2,75 " para medios + tweeter tweeter Bi-amplificación AB de 200W RMS / 400W ,usb de carga , Bluetooth receptor ajustable, cable powercon, 2 entradas XLR / Jack combo. Salida paralela XLR de nivel de micrófono o de línea - 1 entrada RCA estéreo	325,00€
MAC MAH SC400 GO	Altavoz active de 8 " para montage en Bass-reflex bobine 2" ,4 altavoces 2,75 " para medios + tweeter tweeter Bi-amplificación AB de 200W RMS / 800W ,usb de carga , Bluetooth receptor ajustable, cable powercon, 2 entradas XLR / Jack combo. Salida paralela XLR de nivel de micrófono o de línea - 1 entrada RCA estéreo, batería recargable , duración 6-18 horas	375,00€

1.1 ALTAVOCES ACTIVOS



MAC MAH AS110	Altavoz active de 10 " , 1000 Watios biamplificado, con DSP- respuestas frecuencia 35Hz-20Khz-tweeter 1,75 titanio-spl max128dB-modulo bluetooth-dimensiones 405 x 420 x 670mm- peso 15 Kgs	299,00€
MAC MAH AS112	Altavoz active de 12 " , 1000 Watios biamplificado, con DSP- respuestas frecuencia 35Hz-20Khz-tweeter 1,75 titanio-spl max128dB-modulo bluetooth-dimensiones 405 x 420 x 670mm- peso 17 Kgs	358,00€
MAC MAH AS115	Altavoz active de 15 " , 1000 Watios biamplificado, con DSP- respuestas frecuencia 30Hz-20Khz-tweeter 1,75 titanio-spl max131dB-modulo bluetooth-dimensiones 485 x 450 x 775 mm - peso 21 Kgs	410,00€
MAC MAH AS110 COVER	Funda protectora para modelo Mac Mah AS110	30,00€
MAC MAH AS112 COVER	Funda protectora para modelo Mac Mah AS112	39,00€
MAC MAH AS115 COVER	Funda protectora para modelo Mac Mah AS115	39,00€
MACMAH AS815 SUB	15" amplified subwoofer with DSP 800 W RMS, granite paint finish, base for speaker stand. Complements the MAC AS series speaker range. Frequency response: 35 Hz - 200 Hz Sensitivity (1 m / 1 W): 96.5 dB Impedance: 4 Ω Woofer 15" 75 mm 80 OZ SPL: 128 dB DSP: 48 kHz - 24-bit sampling frequency Amplifier type: Class D RMS power: 800 W Peak power: 1600 W THD:	650,00€
MACMAH AS818 SUB	18" amplified subwoofer with DSP 800 W RMS, granite paint finish, base for speaker stand. Complements the MAC AS series speaker range. Frequency response: 30 Hz - 200 Hz Sensitivity (1 m / 1 W): 96.5 dB Impedance: 4 Ω Woofer 18" 75 mm 80 OZ SPL: 129 dB DSP: 48 kHz - 24-bit sampling frequency Amplifier type: Class D RMS power: 800 W Peak power: 1600 W THD:	890,00€
MAC MAH AS815 COVER	Funda protectora para modelo Mac Mah AS815	50,00€
MAC MAH AS818 COVER	Funda protectora para modelo Mac Mah AS818	55,00€

1.2 ALTAVOCES BATTERY



**MACMAH
MOBILE 12UHF**

Sistema de sonido portátil de alta gama con batería MacMah Mobile 12 UHF, 500W de potencia, altavoz de 15", excelente calidad de sonido, ideal para la difusión de música, equipado con 2 micrófonos UHF inalámbricos, perfecto para su calidad

395,00€

**MACMAH
MOBILE 15UHF**

Sistema de sonido portátil de alta gama con batería MacMah Mobile 15 UHF, 700W de potencia, altavoz de 15", excelente calidad de sonido, ideal para la difusión de música, equipado con 2 micrófonos UHF inalámbricos, perfecto para su calidad

425,00€

1.3 PLAYER



MS-PLAYER

Lector USB/SD - receptor FM - lector Bluetooth Entradas(4 X RCA) y micrófono (Combo XLR)- formato 19" / 1 uni. Salida master (XLR)- salida casco mini-jack3.5-infrarojos- consumo 50W.

129,00€

2.1 SERIE LED

2.1 MOVING HEAD



MAC BEAM 1R

Lámpara YODN 1R 120W (5000H) suministrada con 12 canales DMX. 11 gobos fijos + abiertos. 12 colores + blanco Dimmer y Strobe. Selección de colores con efecto arco iris Ajuste fino de PAN y TILT/ Encendido y apagado de la lámpara por DMX Prisma de 8 caras con control DMX de rotación y modo automático con funciones maestro-esclavo, detección de sonido Dim: 310 x 230 x 390mm / 9kg

550,50€



MAC BEAM 100

100W led blanco / 9500K LED Beam Modos de control: DMX, automático, detección de sonido, maestro-esclavo Modo DMX: 12 canales Ángulo del haz: 3°. Dimmer de 0 a 100% Estroboscopia de 1 a 20 flashes/seg Rueda de 7 colores + blanco con efecto Arco Iris - Rueda de 7 gobos fijos Prisma 8 caras giratorio circular Dim: 320 x 235 x 150mm / 4,06kg

490,50€



MAC SPOT 100

100W LED Spotlight, efficient light output and many effects. 100W 9500K white LED - 14 DMX channels - Operating modes: DMX, sound activated, master-slave and automatic - 1 wheel of 7 fixed gobos + open, gobo shake & rainbow effect - 1 wheel of 6 rotating glass gobos + open, rainbow and shake - 1 wheel of 7 colours + white, half colours & rainbow effect - 6 facet rotating prism, 6 facet rotating prism, bi-directional variable speed - Motorised focus - Dimmer 0 - 100% - Strobe - Pan/tilt rotation with adjustable

490,50€



MAC WASH 1915Z

19x15W RGBW LED Wash with 3-zone circle LED control, zoom, DMX, music or master/slave control. 19 x 15W RGBW LEDs (4 in 1) - 16 or 24 DMX channels - 540° PAN and 270° TILT movement - Precise and flexible 16-bit PAN/TILT resolution - 6-50° zoom angle - 0-100% red, green, blue and white spars - RGBW colour mixing system - Rainbow effect, Macro effects, Strobe effect - 3 zones of LED control in a circle RGBW colour mixing system - 3 LED control

490,50€



MAC WASH 740Z

7x40W RGBW LED Wash, zoom 3°-60°, DMX, music or master/slave control- 17 or 45 DMX channels - Precise and flexible 16-bit PAN/TILT resolution 0-100% red, green, blue and white spars - RGBW colour mixing system - Effet Rainbow (arc-en-ciel), effets Macros, Strobos


490,50€



MAC FLIGHTCASE

Flightcase Mac mah para modelo: MAC BEAM 100 (2 unidades) MAC BEAM 1 R (2 unidades) ,MAC SPOT 100 (2 unidades) MAC WASH 1915Z(2 unidades), MAC WASH 740Z(2 unidades),

255,50€

 KOLOR BAR - MAC MAH	LED bar with 4 x 7 x 8 W RGBW LED spotlights 4-in-1 DMX control, numerous automatic modes, music mode and wireless remote control DMX channels: 8 / 20 Dimmer 0 100% Bar width: 1 m Indoor use Projection angle: 45° Strobe function at 1 25/s Power consumption: 187 W Power supply: 100-240 VAC / 50-60 Hz Base for 35 mm bracket (stand not included) Supplied in carry bag.	295,50€
 MULTI-FX BAR - MAC MAH	Bar all in one - 2 Derby effects with 4 leds of 3w RGBW - 2 effects per led with 3 leds of 4w 4-in-1 RGB-UV - UV light - 1 red 100mW and green 50mW multi-bridge laser on the top of the bar - 4 white LEDs of 2w for the strobe effect - Bag for transport - DMX channels: 3 or 26 channels - Controllable by DMX, many automatic modes, musical mode and remote control - Width of the bar: 1m - Indoor use - Delivered with stand and carrying bag - Power supply: AC100-240V 50 / 60Hz	409,50€
 MACMOVING FX BAR	All-in-one 6-effect bar 2 Derby effects with 4 x 3 W RGBWAP LEDs 2 PAR LED effects with 3 x 8 W LEDs 4-in-1 RGB-UV UV light 2 x 30 W LED lyres 7 Gobos and 7 colours 1 multipoint red 100 mW and green 50 mW LASER on top of the bar 4 x 2 W white LEDs for the Strobe effect Bag for transporting the stand + rigid bag for light shows DMX controllable, numerous automatic modes, music mode and wireless remote control Bar width : 1 m Indoor use Supplied with stand and carry bag Maximum height of stand: 2.20 m (via extension) Power supply: 100-240 VAC / 50-60 Hz Fuse	740,50€
 PYRAMIDA LZR MACMAH	Professional RGBW Beam effect LED light play and a green multi-point LASER in the center. Metal case, 17 or 49 channel DMX operation. Net weight 11Kg	290,50€
 MEGA UFO LZR MACMAH	Red, Green, Blue and White Beam Effect Bee Honeycomb - 22 DMX channels Red and green LASERs produce hundreds of beams Operating modes: DMX, master-slave, sound activated, auto Light source: Beam effect with 6 x 10W RGBW LEDs ultra high brightness Light source: Bee honeycomb: 4 x 10W RGBW LEDs LASER: 532nm / 50mW LASER diode (green), 638nm / 100mW LASER diode (red) Power supply: AC110-240Vac 50 / 60Hz Dimensions: 300 x 300 x 250mm - Net weight: 4kg	360,50€
 SPIN BEAM MACMAH	Red, Green, Blue and White Beam Effect Bee Honeycomb - 22 DMX channels Red and green LASERs produce hundreds of beams Operating modes: DMX, master-slave, sound activated, auto Light source: Beam effect with 6 x 10W RGBW LEDs ultra high brightness Light source: Bee honeycomb: 4 x 10W RGBW LEDs LASER: 532nm / 50mW LASER diode (green), 638nm /	480,50€
 CYCLONE LZR MACMAH	CYCLONE LZR - MACMAH Set of lights with rotating multicoloured beams and Mac Mah Cyclone-LZR green multipoint LASER Light sources: 18 x 9W RGB 3-in-1 LEDs + 1 x 520nm / 80mW green LASER Class 3B Rotating effect Numerous automatic programmes DMX channels: 10 / 60 channels Power supply via male IEC connector Max consumption: 200W	330,50€
 PYRAMIDA-LZR FLIGHT CASE	Flight case for Pyramida-LZR Mac Mah - Reinforced corners - Robust construction Net weight 10Kg	255,50€

2.4 PAR LED



**MACSILENTPAR 7X10W
4 X 1 RGBW**

SILENTPAR 7X10W 4IN1 - Aluminium housing - DMX, Auto, Music, IR remote control. - Light sources: 7 x 10W RGBW 4 in 1 LEDs - Light beam angle: 45 degrees, no ventilation noise - Variable strobe function - Dimmer 0-100% - Perfect colour mixing thanks to its 4 in 1 LEDs - DMX channels: 4 or 8 channels - Max consumption: 70W - Double fixing trier for easy floor positioning and hanging - Power supply via PowerCON connector - Link possible via PowerCON power cable - Carton dimensions : L 270 x W

115,50€



**MACSILENTPAR
12X10W 4 X 1 RGBW**

The Mac Mah SilentPAR 12X10W RGBW 4-in-1 is an LED projector that operates without fan noise. Ideal for use in theatres and performances, it offers a perfect colour mix thanks to its 4-in-1 LEDs. Aluminium housing - DMX, Auto, Music, IR remote control. - Light sources: 12 x 10W RGBW 4 in 1 LEDs - Light beam angle: 45 degrees - Variable strobe function - Dimmer 0-100% - Silent aluminium NFC box, no fan noise - Perfect colour mixing thanks to its 4 in 1 LEDs - DMX

130,50€

**MACSILENTPAR
12X10W 6 X 1
RGBWA + UV**

SilentPAR 12x10W 6-in-1 LED PAR (RGBWA/UV), no fan noise, ideal for performance or theatre, perfect colour mixing with its 6-in-1 LEDs. Aluminium housing - DMX, Auto, Music, IR remote control. - Light sources: 12 x 10W RGBWA/UV 6 in 1 LEDs - Light beam angle: 45 degrees - Silent NFC aluminium housing, no ventilation noise - Perfect colour mixing with 6 in 1 LEDs - Variable strobe function - Dimmer 0-100% - DMX channels : 6 or 10 channels -

155,00€

**MACSILENTPAR
12X12W 6 X 1
RGBWA + UV**

SilentPAR 12x12W 6-in-1 LED PAR (RGBWA/UV), no fan noise, ideal for performance or theatre, perfect colour mixing with its 6-in-1 LEDs. Aluminium housing - DMX, Auto, Music, IR remote control. - Light sources: 12 x 12W RGBWA/UV 6 in 1 LEDs - Light beam angle: 25 degrees - Silent NFC aluminium housing, no ventilation noise - Perfect colour mixing with 6 in 1 LEDs - Variable strobe function - Dimmer 0-100% - DMX channels : 6 or 10 channels -

175,00€



CONDICIONES GENERALES DE VENTA

1. Los precios incluidos en esta lista corresponden a tarifa venta público, IVA no incluido. Todos los precios pueden variar sin previo aviso.
2. Los Clientes de SoundLight Spain deben acreditar, presentando la documentación que se les requiera, su actividad comercial o industrial antes de la aceptación de cualquier pedido. El establecimiento de relaciones comerciales con SoundLight Spain implica la aceptación de las condiciones de venta fijadas por la misma.
3. Las primeras operaciones con cada nuevo cliente se realizarán con pagos al contado (anticipado). Posteriormente, se asignará al cliente clasificación y riesgo financiero en función de la documentación aportada. De sobrepasarse el riesgo asignado, las ventas se realizarán con pagos al contado. Cualquier impago, supondrá la pérdida inmediata de condiciones de suministros de mercancía. El descuento por pronto pago es del 2%.
4. El plazo de entrega de nuestros productos es de 48/72 horas. Este plazo de entrega se encuentra sujeto a la disponibilidad de stock, y en algunas líneas de producto debe acordarse en el momento de realizar el pedido. Los pedidos de un importe superior a 10000€ serán enviados a portes pagados a través de la agencia que designe SoundLight Spain. Para el resto de los casos, los portes correrán a cargo del cliente y serán tramitados a través de la agencia que solicite el cliente.
5. En caso de que se produzca una incidencia en el transporte, será responsabilidad del cliente si el envío ha sido realizado a portes debidos, y de SoundLight Spain de ser a portes pagados. En envíos a portes pagados, la reclamación deberá realizarse en un plano inferior a 24h desde la recepción de la mercancía para que esta pueda ser atendida.
6. Todos los productos tienen una garantía de un año en componentes y mano de obra, siempre que el defecto no haya sido causado por un uso indebido del mismo o muestre evidencia de haber sido manipulado en un servicio técnico no autorizado.
7. La autorización de la garantía se realizará en el servicio técnico una vez recibido y analizado el producto. El cliente se hará cargo de los portes de ida, y de autorizarse la reparación en garantía estos se abonarán posteriormente. Los portes de vuelta serán a cargo de SoundLight Spain. Las reparaciones de productos deben realizarse siempre en los servicios técnicos oficiales. Los portes para reparaciones fuera de garantía correrán en su totalidad a cargo del cliente.
8. Solo se admitirán devoluciones de productos previa autorización expresa de SoundLight Spain.
9. Los precios publicados en esta lista corresponden a los productos descritos. El soporte técnico necesario para la realización de proyectos en los que se incluyen materiales se valorará y facturará como si fuera referencia física.

SAT OFICIAL S.L.S

Ctra de Mollet a Sabadell km 4,3 Nave I 2

Pol. Ind. Can Vinyals

08130 Santa Perpètua de Mogoda

comercial@soundlightspain.com



OFICINAS Y SHOWROOM

Tel. +34 93 544 86 91 / www.soundlightspain.com
Ctra. de Mollet a Sabadell Km 4,3 – Nave 12 / Pol. Ind.Can
Vinyals Santa Perpètua de Mogoda - Barcelona - 08130 España